

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

0360

In re Patent Application of

John KENTEN, et al

Atty. Ref.: 2757-6

Serial No. 09/880,132

Group:

Filed: June 14, 2001

Examiner:

For: CONTROLLING PROTEIN LEVELS IN EUCARYOTIC ORGANISMS

\* \* \* \* \*

January 7, 2002

Assistant Commissioner for Patents  
Washington, DC 20231

Sir:

**RESPONSE**


In response to the Notice to File Corrected Application Papers mailed November 7, 2001, attached are seven sheets of substitute drawings in compliance with 37 CFR 1.84.

Entry is requested.

Respectfully submitted,

**NIXON & VANDERHYE P.C.**

By: \_\_\_\_\_

  
Leonard C. Mitchard  
Reg. No. 29,009

LCM:lks  
1100 North Glebe Road, 8th Floor  
Arlington, VA 22201-4714  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100

09880132-010702



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/880,132	06/14/2001	John H. Kenten	2757-6

CONFIRMATION NO. 7211

## FORMALITIES LETTER



\*OC000000007034671\*

Nixon & Vanderhye P.C.  
8th Floor  
1100 N. Glebe Rd.  
Arlington, VA 22201

Date Mailed: 11/07/2001



## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice MUST be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 1 - ATTORNEY/APPLICANT COPY

09880457-010702